





Medicated HandRub With RESIDUAL PROTECTION

Preferred by Clinicians and peri Operative Nurses



Proven Anti-microbial Efficacy - provides rapid bactericidal action against a broad spectrum of micro organisms with greater than 99.9% kill in 15 seconds (In Vitro)

Best in Class Residual protection with a combination of alcohol and Chlorhexidine Gluconate, preferred by Clinicians and peri Operative Nurses

Moisturized with skin emollients to prevent skin dryness and damage.

Active Ingredients

Chlorhexidine Gluconate Solution IP 2.5%v/v Equivalent to Chlorhexidine Gluconate0.5% w/v, Ethanol (denatured) equivalent to Ethanol 70%v/v.

Application areas

- 1. Indicated for rapid hand disinfection
- 2. Suitable for use before and after every patient contact and in between hand washes

| IN-VITRO ANTIMICROBIAL EVALUATION AS | PER ASTM E 2315 |
|--------------------------------------|---------------------|
| Bacteria | Kill rate under 15s |
| Staphylococcus aureus ATCC 6538 | 99.9% |
| Listeria monocytogenes ATCC 19115 | 99.9% |
| Enterococcus faecalis ATCC 29212 | 99.9% |
| Escherichia coil ATCC 25922 | 99.9% |
| Pseudomonas aeruginosa ATCC 15442 | 99.9% |
| Klebsiella pneumoniae ATCC 4352 | 99.9% |
| | |

| Fungi | Kill rate under 60s |
|-----------------------------|---------------------|
| Candida albicans ATCC 10231 | 99.0% |
| Aspergillus niger ATCC 6275 | 99.0% |

| Product Code | Product Description | |
|---------------------|--------------------------------|-------------------|
| CM063-E | Theruptor HandRub CHG-EA 100ml | 90 Bottels/Carton |
| CM206 | Theruptor HandRub CHG-EA 125ml | 90 Bottels/Carton |
| CM085-E | Theruptor HandRub CHG-EA 500ml | 24 Bottles/Carton |
| CM203 | Theruptor HandRub CHG-EA 1Ltr | 12 Cans/Carton |
| CM198 | Theruptor HandRub CHG-EA 5Ltr | 3 Cans/Carton |

Also Available in 70% Ethanol formulation

Surgical rubbing: Surgical hand preparation technique using Theruptor HandRub

- The hand rubbing technique for surgical hand preparation must be performed on clean, dry hands.
- On arrival in the operating theatre and after having donned theatre clothing (cap/hat/bonnet and mask),hands must be washed with soap and water.
- After the operation when removing gloves, hands must be rubbed with an alcohol-based formulation or washed with soap and water if any residual talc or biological fluids are present(e.g.the glove is punctured).



Put approximately 5ml (3 doses) of alcohol-based hand rub in the palm of your left hand, using the elbow of your other arm to operate the dispenser.













